

according to 1907/2006/EC, Article 31

Printing date 30.04.2015 Version number 4 Revision: 30.04.2015

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: KAJO-BIO-Getriebeöl SE 460

· Article number: 14846000

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance / the mixture Lubricant for Industrial use

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

KAJO-Schmierstofftechnik GmbH

Boschstr. 13

D - 59609 Anröchte

· Further information obtainable from:

Department of Environmental Health and Safety:

labor@kajo.de

1.4 Emergency telephone number: During normal opening times: ++49/2947/88100

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

The product is not classified according to the CLP regulation.

- · Classification according to Directive 67/548/EEC or Directive 1999/45/EC Not applicable.
- · Information concerning particular hazards for human and environment:

The product does not have to be labelled due to the calculation procedure of the "General Classification quideline for preparations of the EU" in the latest valid version.

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Additional information:

Contains Reaction products of bis(4- methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched). May produce an allergic reaction.

- 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable
- · vPvB: Not applicable

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.
- · Dangerous components: Void
- · Additional information: For the wording of the listed risk phrases refer to section 16.

according to 1907/2006/EC, Article 31

Printing date 30.04.2015 Version number 4 Revision: 30.04.2015

Trade name: KAJO-BIO-Getriebeöl SE 460

(Contd. of page 1)

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- · General information: Remove contaminated clothing.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eve contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

No neutralization attempt.

Do not induce vomiting.

- 4.2 Most important symptoms and effects, both acute and delayed Gastric or intestinal disorders
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

Water haze

Water spray

Foam

Fire-extinguishing powder

Carbon dioxide

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · 5.2 Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- · Additional information

Cool endangered receptacles with water spray.

Contain escaping vapors with water.

Pay attention to flashback.

Avoid skin contact by wearing suitable protective clothing and by keeping a safe distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Keep away from ignition sources.

6.2 Environmental precautions:

Do not allow to penetrate the ground/soil.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of the material collected according to regulations.

6.4 Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

- EC -

according to 1907/2006/EC, Article 31

Printing date 30.04.2015 Version number 4 Revision: 30.04.2015

Trade name: KAJO-BIO-Getriebeöl SE 460

(Contd. of page 2)

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Keep receptacles tightly sealed.

Ensure good interior ventilation, especially at floor level. (Fumes are heavier than air).

No special measures required.

Store in cool, dry place in tightly closed receptacles.

Information about fire - and explosion protection:

Vapors are heavier than air. Explosive vapor - / air - mixtures may be formed avoid rake at high temperatures.

· 7.2 Conditions for safe storage, including any incompatibilities

- · Storage:
- · Requirements to be met by storerooms and receptacles: Provide solvent resistant, sealed floor.
- Information about storage in one common storage facility:

Store away from oxidising agents.

Do not store together with oxidizing and self-igniting products

The storage assembly with the following substances is prohibited:

Pharmaceuticals, food and feed additives including

Substances which form flammable gases with water.

Organic peroxides.

· Further information about storage conditions:

Protect from frost.

Storage at + 0 to + 60 °C.

Store in cool, dry conditions in well sealed receptacles.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

· Respiratory protection:

Not necessary if room is well-ventilated.

Recommendation in case of insufficient ventilation and extensive use:

Use multi-purpose combination (U.S.) or type of filter ABEK (EN 14387).

Respirators and components must be tested and approved under appropriate government standards such as NIOSH. (U.S.) or CEN (EU).

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Protection of hands:

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Recommendation: Chemical resistant protective gloves (EN 374)

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 4)

according to 1907/2006/EC, Article 31

Printing date 30.04.2015 Version number 4 Revision: 30.04.2015

Trade name: KAJO-BIO-Getriebeöl SE 460

(Contd. of page 3)

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· For the permanent contact in work areas without heightened risk of injury (e.g. Laboratory) gloves made of the following material are suitable:

Nitrile rubber, NBR

· Eye protection:

Safety glasses according to EN 166:2001

Safety glasses

Use safety glasses according to EN 166: 2001.

SECTION 9: Phy	vsical and c	hemical i	properties
	yolodi dila o	. Ioiiiioai	proportion

 9.1 Information on basic physical and chemical properties General Information Appearance: Form: Colour: Yellow Odour: Odourless Odour threshold: Not determined. pH-value: Not determined. Change in condition Melting point/Melting range: Boiling point/Boiling range: Undetermined. Flash point: > 250 °C Flammability (solid, gaseous): Not applicable. 	
Form: Colour: Yellow Odour: Odour threshold: Odour threshold: Not determined. PH-value: Not determined. Change in condition Melting point/Melting range: Boiling point/Boiling range: Undetermined. Value Value Volume Volume Value Value Volume Value Va	
Colour: Odour: Odourless Odourless Odour threshold: Not determined. PH-value: Not determined. Change in condition Melting point/Melting range: Boiling point/Boiling range: Undetermined. Undetermined. Flash point: > 250 °C	
 Odour: Odour threshold: PH-value: Not determined. Change in condition Melting point/Melting range: Boiling point/Boiling range: Undetermined. Flash point: > 250 °C	
 · pH-value: Not determined. · Change in condition Melting point/Melting range: Undetermined. Boiling point/Boiling range: Undetermined. · Flash point: > 250 °C 	
 Change in condition Melting point/Melting range: Boiling point/Boiling range: Undetermined. Undetermined. Section 250 °C 	
Melting point/Melting range: Undetermined. Boiling point/Boiling range: Undetermined. ⋅ Flash point: > 250 °C	
·	
· Flammability (solid, gaseous): Not applicable.	
· Ignition temperature:	
Decomposition temperature: Not determined.	
· Self-igniting: Product is not selfigniting.	
· Danger of explosion: Product does not present an explosion hazard.	
 Explosion limits: Lower: Upper: Not determined. Not determined. 	
· Vapour pressure: Not determined.	
• Density at 20 °C: 0,9683 g/cm³ bei 15 °C: 1000 kg/m³	
· Relative density Not determined.	
· Vapour density Not determined.	
· Evaporation rate Not determined.	
· Solubility in / Miscibility with water: Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/water): Not determined.	
 Viscosity: Dynamic: Kinematic: Not determined. V 100: 58 mm2/s 	
· Solvent content: Organic solvents: 0,0 %	

according to 1907/2006/EC, Article 31

Printing date 30.04.2015 Version number 4 Revision: 30.04.2015

Trade name: KAJO-BIO-Getriebeöl SE 460

(Contd. of page 4)

• 9.2 Other information No further relevant information available.

SECTION 10: Stability and reactivity

- 10.1 Reactivity Reacts with strong oxidants and strong reducing agents under severe heat.
- · 10.2 Chemical stability

The product is chemically stable under normal ambient conditions (room temperature).

· Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid Temperatures above 60 °C can lead to reduced shelf life of the product.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products:

Emergence of flammable gases / vapors on contact with strong oxidizing agent' s possible.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity
- Primary irritant effect:
- · Skin corrosion/irritation May cause skin irritation after repeated contact.
- · Serious eye damage/irritation May cause slight irritation to the eyes.
- · Respiratory or skin sensitisation No sensitising effects known.
- · Additional toxicological information:

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.

When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable
- · vPvB: Not applicable
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation Must be specially treated under adherence to official regulations.

(Contd. on page 6)

according to 1907/2006/EC, Article 31

Printing date 30.04.2015 Version number 4 Revision: 30.04.2015

Trade name: KAJO-BIO-Getriebeöl SE 460

(Contd. of page 5)

- · Uncleaned packaging:
- · Recommendation:

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

SECTION 14: Transport informati	on	
· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Void	
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards: · Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Transport in bulk according to Ann MARPOL73/78 and the IBC Code	ex II of Not applicable	
· UN "Model Regulation":	-	

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing MSDS: Department of Environmental Health and Safety:
- · Contact: Dr. John, Mail: labor@kajo.de
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)